



## CONTENTS OF VOLUME 145

### Vol. 145A, No. 1

#### Review

- P.J. Butler 1 Aerobic dive limit. What is it and is it always used appropriately?

#### General papers

- Z. Pirger, K. Elekes and T. Kiss 7 Electrical properties and cell-to-cell communication of the salivary gland cells of the snail, *Helix pomatia*
- J.C. del Valle, A.A. López Mañanes and C. Busch 20 Seasonal changes in body composition of *Ctenomys talarum* (Rodentia: Octodontidae): An herbivore subterranean rodent
- P. Zhang, X. Zhang, J. Li and G. Huang 26 Swimming ability and physiological response to swimming fatigue in whiteleg shrimp, *Litopenaeus vannamei*
- Y.-S. Huang, W.-L. Huang, W.-F. Lin, M.-C. Chen and S.-R. Jeng 33 An endothelial-cell-enriched primary culture system to study vascular endothelial growth factor (VEGF A) expression in a teleost, the Japanese eel (*Anguilla japonica*)
- M. Galay-Burgos, C. Gealy, L. Navarro-Martín, F. Piferrer, S. Zanuy and G.E. Sweeney 47 Cloning of the promoter from the gonadal aromatase gene of the European sea bass and identification of single nucleotide polymorphisms
- Y. Dauphin 54 Mineralizing matrices in the skeletal axes of two *Corallium* species (Alcyonacea)
- S. Kawakami, K. Kashiwagi, N. Furuno, M. Yamashita and A. Kashiwagi 65 Effects of hypergravity environments on amphibian development, gene expression and apoptosis
- P. Enes, S. Panserat, S. Kaushik and A. Oliva-Teles 73 Rapid metabolic adaptation in European sea bass (*Dicentrarchus labrax*) juveniles fed different carbohydrate sources after heat shock stress
- F. Garofalo, S. Imbrogno, A. Gattuso, A. Spena and M.C. Cerra 82 Cardiac morpho-dynamics in *Rana esculenta*: Influence of sex and season
- M.J. Myers, L.D. Rea and S. Atkinson 90 The effects of age, season and geographic region on thyroid hormones in Steller sea lions (*Eumetopias jubatus*)
- M. Guibbolini, G. Borelli, N. Mayer-Gostan, F. Priouzeau, H. De Pontual, D. Allemand and P. Payan 99 Characterization and variations of organic parameters in teleost fish endolymph during day-night cycle, starvation and stress conditions
- B. Budiño, R.M. Cal, M.C. Piazzon and J. Lamas 108 The activity of several components of the innate immune system in diploid and triploid turbot

|   |     |  |
|---|-----|--|
| C.C. Swart, L.E. Deaton and B.E. Felgenhauer                          | 114 | The salivary gland and salivary enzymes of the giant waterbugs (Heteroptera; Belostomatidae)   |
| P.J. Ponganis, T.K. Stockard, D.H. Levenson, L. Berg and E.A. Baranov | 123 | Intravascular pressure profiles in elephant seals: Hypotheses on the caval sphincter, extradural vein and venous return to the heart |
| L.T. da Silva Cândido and S.M. Brazil Romero                          | 131 | Heart rate and burrowing behavior in the mussel <i>Anodontites trapesialis</i> (Bivalvia: Mycetopodidae) from lotic and lentic sites |
| D. Costantini and G. Dell'Omo   | 137 | Effects of T-cell-mediated immune response on avian oxidative stress   |

# Erratum

|                                     |     |  |
|-------------------------------------|-----|--|
| H.-b. Ai, X.-y. Zhang and J.-p. Zhu | 143 | Erratum to "Comparative studies on the wide frequency band electrocardiogram and vectorcardiogram in pigeon and mouse" [Comp. Biochem. Phys. A 137, 577-583] |
|-------------------------------------|-----|--|

# I Instructions to Authors

Vol. 145A, No. 2

# General papers

|  |     |  |
|--|-----|--|
| R.L. Kihlslinger, S.C. Lema and G.A. Nevitt  | 145 | Environmental rearing conditions produce forebrain differences in wild Chinook salmon <i>Oncorhynchus tshawytscha</i>  |
| Z. Xie, C. Niu, Z. Zhang and L. Bao  | 152 | Dietary ascorbic acid may be necessary for enhancing the immune response in Siberian sturgeon ( <i>Acipenser baerii</i> ), a species capable of ascorbic acid biosynthesis               |
| P.A. Cotter and K.J. Rodnick   | 158 | Differential effects of anesthetics on electrical properties of the rainbow trout ( <i>Oncorhynchus mykiss</i> ) heart   |
| L. De Smit, V. Bruggeman, J.K. Tona, M. Debonne, O. Onagbesan, L. Arckens, J. De Baerdemaeker and E. Decuypere | 166 | Embryonic developmental plasticity of the chick: Increased CO <sub>2</sub> during early stages of incubation changes the developmental trajectories during prenatal and postnatal growth |
| A.D. Sowers, S.P. Young, M. Grosell, C.L. Browdy and J.R. Tomasso  | 176 | Hemolymph osmolality and cation concentrations in <i>Litopenaeus vannamei</i> during exposure to artificial sea salt or a mixed-ion solution: Relationship to potassium flux             |
| J.F. Bibiano Melo, L.M. Lundstedt, I. Metón, I.V. Baanante and G. Moraes                                       | 181 | Effects of dietary levels of protein on nitrogenous metabolism of <i>Rhamdia quelen</i> (Teleostei: Pimelodidae)   |
| A. Capaldo, F. Gay, V. Laforgia, M. De Falco and L. Varano   | 188 | The adrenal gland of <i>Triturus carnifex</i> after glucagon administration  |
| P.S. Lee, N.W. Pankhurst and H.R. King   | 195 | Effects of aromatase inhibitors on <i>in vitro</i> steroidogenesis by Atlantic salmon ( <i>Salmo salar</i> ) gonadal and brain tissue  |
| J.M.F. Babarro, M.J.F. Reiriz, J.L. Garrido and U. Labarta   | 204 | Free amino acid composition in juveniles of <i>Mytilus galloprovincialis</i> : Spatial variability after <i>Prestige</i> oil spill   |
| R.J. Wilkinson, M. Porter, H. Woolcott, R. Longland and J.F. Carragher   | 214 | Effects of aquaculture related stressors and nutritional restriction on circulating growth factors (GH, IGF-I and IGF-II) in Atlantic salmon and rainbow trout                           |
| J. Gauley and J.J. Heikkila  | 225 | Examination of the expression of the heat shock protein gene, <i>hsp110</i> , in <i>Xenopus laevis</i> cultured cells and embryos  |

- J.C. Wright and K. Ting 235 Respiratory physiology of the Oniscidea: Aerobic capacity and the significance of pleopodal lungs
- J. Joyner-Matos, C.A. Downs and D. Julian 245 Increased expression of stress proteins in the surf clam *Donax variabilis* following hydrogen sulfide exposure
- M.J. Leaver, D.R. Tocher, A. Obach, L. Jensen, R.J. Henderson, A.R. Porter and G. Krey 258 Effect of dietary conjugated linoleic acid (CLA) on lipid composition, metabolism and gene expression in Atlantic salmon (*Salmo salar*) tissues
- A. Kleszczyńska, L. Vargas-Chacoff, M. Gozdowska, H. Kalamarz, G. Martínez-Rodríguez, J.M. Mancera and E. Kulczykowska 268 Arginine vasotocin, isotocin and melatonin responses following acclimation of gilthead sea bream (*Sparus aurata*) to different environmental salinities
- G.C. de Menezes, M. Tavares-Dias, E.A. Ono, J.I.A. de Andrade, E.M. Brasil, R. Roubach, E.C. Urbinati, J.L. Marcon and E.G. Affonso 274 The influence of dietary vitamin C and E supplementation on the physiological response of pirarucu, *Arapaima gigas*, in net culture
- K. Yoshikawa, K. Imai, T. Seki, N. Higashi-Kuwata, N. Kojima, M. Yuuda, K. Koyasu, H. Sone, M. Sato, H. Senoo and T. Irie 280 Distribution of retinylester-storing stellate cells in the arrowtooth halibut, *Atheresthes evermanni*

### III Instructions to Authors

#### Vol. 145A, No. 3

##### General papers

- B.K. McNab 287 The relationship among flow rate, chamber volume and calculated rate of metabolism in vertebrate respirometry
- B.K. McNab and H.I. Ellis 295 Flightless rails endemic to islands have lower energy expenditures and clutch sizes than flighted rails on islands and continents
- M. Tresguerres, S.K. Parks and G.G. Goss 312 V-H<sup>+</sup>-ATPase, Na<sup>+</sup>/K<sup>+</sup>-ATPase and NHE2 immunoreactivity in the gill epithelium of the Pacific hagfish (*Epatretus stoutii*)
- L. Rivaroli, F.T. Rantin and A.L. Kalinin 322 Cardiac function of two ecologically distinct Neotropical freshwater fish: Curimbata, *Prochilodus lineatus* (Teleostei, Prochilodontidae), and trahira, *Hoplias malabaricus* (Teleostei, Erythrinidae)
- Z. Feng, D. Carlson and H.D. Poulsen 328 Zinc attenuates forskolin-stimulated electrolyte secretion without involvement of the enteric nervous system in small intestinal epithelium from weaned piglets
- H. Gesser 334 Force development at elevated [Mg<sup>2+</sup>]<sub>o</sub> and [K<sup>+</sup>]<sub>o</sub> in myocardium from the freshwater turtle (*Trachemys scripta*) and influence of factors associated with hibernation
- V. Gracia-López, C. Rosas-Vázquez and R. Brito-Pérez 340 Effects of salinity on physiological conditions in juvenile common snook *Centropomus undecimalis*
- R.R. Gonçalves, D.C. Masui, J.C. McNamara, F.L.M. Mantelatto, D.P. Garçon, R.P.M. Furriel and F.A. Leone 346 A kinetic study of the gill (Na<sup>+</sup>, K<sup>+</sup>)-ATPase, and its role in ammonia excretion in the intertidal hermit crab, *Clibanarius vittatus*



# Contents of volume

|  |     |  |
|--|-----|--|
| A.N. Setiawan, L.S. Davis, J.T. Darby,<br>P.M. Lokman, G. Young,<br>M.A. Blackberry, B.L. Cannell<br>and G.B. Martin | 357 | Hormonal correlates of parental behavior in yellow-eyed penguins ( <i>Megadyptes antipodes</i> )   |
| M. Rajman, M. Juráni, D. Lamošová,<br>M. Máčajová, M. Sedlačková,<br>L'. Košťál, D. Ježová and P. Výboh              | 363 | The effects of feed restriction on plasma biochemistry in growing meat type chickens ( <i>Gallus gallus</i> )                                |
| D.-B. Wei, L. Wei, J.-M. Zhang<br>and H.-Y. Yu   | 372 | Blood-gas properties of plateau zokor ( <i>Myospalax baileyi</i> )   |
| F. Cima, A. Sabbadin, G. Zaniolo and<br>L. Ballarin  | 376 | Colony specificity and chemotaxis in the compound ascidian <i>Botryllus schlosseri</i>   |
| M. Kojima, T. Tagami and M. Degawa   | 383 | Cloning of chicken lanosterol 14 $\alpha$ -demethylase ( <i>CYP51</i> ) cDNA: Discovery of a testis-specific <i>CYP51</i> transcript         |
| P. Chartrin, M.-D. Bernadet, G. Guy,<br>J. Mourot, J.-F. Hocquette, N. Rideau,<br>M.J. Duclos and E. Baéza           | 390 | Does overfeeding enhance genotype effects on liver ability for lipogenesis and lipid secretion in ducks?                                     |
| J.C. del Valle, C. Busch and<br>A.A. López Mañanes   | 397 | Phenotypic plasticity in response to low quality diet in the South American omnivorous rodent <i>Akodon azarae</i> (Rodentia: Sigmodontinae) |
| S. Knotz, M. Boersma<br>and R. Saborowski  | 406 | Microassays for a set of enzymes in individual small marine copepods   |

## I Instructions to Authors

## Vol. 145A, No. 4

### General papers

|  |     |  |
|--|-----|--|
| P. Chartrin, M.-D. Bernadet, G. Guy,<br>J. Mourot, J.-F. Hocquette, N. Rideau,<br>M.J. Duclos and E. Baéza | 413 | Does overfeeding enhance genotype effects on energy metabolism and lipid deposition in breast muscle of ducks?   |
| M.D. Dearing, M.M. Skopec and<br>M.J. Bastiani   | 419 | Detoxification rates of wild herbivorous woodrats ( <i>Neotoma</i> )   |
| S. Engel, R.A. Suthers, H. Biebach and<br>G.H. Visser  | 423 | Respiratory water loss during rest and flight in European Starlings ( <i>Sturnus vulgaris</i> )  |
| V. Moschino and M.G. Marin   | 433 | Seasonal changes in physiological responses and evaluation of "well-being" in the Venus clam <i>Chamelea gallina</i> from the Northern Adriatic Sea  |
| J.P. Mortola   | 441 | Metabolic response to cooling temperatures in chicken embryos and hatchlings after cold incubation   |
| D.I. Prangnell and R. Fotedar  | 449 | Effect of sudden salinity change on <i>Penaeus latisulcatus</i> Kishinouye osmoregulation, ionoregulation and condition in inland saline water and potassium-fortified inland saline water |
| L. Liu and A.H. Warner   | 458 | Further characterization of the cathepsin L-associated protein and its gene in two species of the brine shrimp, <i>Artemia</i>   |
| Y. Uemura, S. Asakuma, L. Yon,<br>T. Saito, K. Fukuda, I. Arai and<br>T. Urashima                          | 468 | Structural determination of the oligosaccharides in the milk of an Asian elephant ( <i>Elephas maximus</i> )   |
| M.K. Frøystad, E. Lilleeng, A. Sundby<br>and Å. Krogdahl   | 479 | Cloning and characterization of $\alpha$ -amylase from Atlantic salmon ( <i>Salmo salar</i> L.)  |

|  |     |  |
|--|-----|--|
| N.M. Whiteley, J.S. Christiansen and S. Egginton   | 493 | Polar cod, <i>Boreogadus saida</i> (Gadidae), show an intermediate stress response between Antarctic and temperate fishes                                    |
| J.M.J. Rebel, S. Van Hemert, A.J.W. Hoekman, F.R.M. Balk, N. Stockhofe-Zurwieden, D. Bakker and M.A. Smits   | 502 | Maternal diet influences gene expression in intestine of offspring in chicken ( <i>Gallus gallus</i> )   |
| K.-W. Li, D.-N. Lee, W.-T. Huang and C.-F. Weng  | 509 | Temperature and humidity alter prolactin receptor expression in the skin of toad ( <i>Bufo bankorensis</i> and <i>Bufo melanostictus</i> )                   |
| R.M. Moura, A.F.S. Queiroz, J.M.S.L.L. Fook, A.S.F. Dias, N.K.V. Monteiro, J.K.C. Ribeiro, G.E.D.D. Moura, L.L.P. Macedo, E.A. Santos and M.P. Sales | 517 | CvL, a lectin from the marine sponge <i>Cliona varians</i> : Isolation, characterization and its effects on pathogenic bacteria and Leishmania promastigotes |
| B.P. Wallace, P.R. Sotherland, P.S. Tomillo, S.S. Bouchard, R.D. Reina, J.R. Spotila and F.V. Paladino   | 524 | Egg components, egg size, and hatchling size in leatherback turtles  |
| D.J. Coughlin and A.M. Carroll   | 533 | <i>In vitro</i> estimates of power output by epaxial muscle during feeding in largemouth bass  |
| S. Kharin, N. Antonova and D. Shmakov  | 540 | Left ventricular myocardial activation under ventricular paced beats in chickens <i>Gallus gallus domesticus</i>   |
| J.-M. Wang, Y.-M. Zhang and D.-H. Wang   | 546 | Photoperiodic regulation in energy intake, thermogenesis and body mass in root voles ( <i>Microtus oeconomus</i> )   |
| J. Goüy de Bellocq, B.R. Krasnov, I.S. Khokhlova and B. Pinshow  | 554 | Temporal dynamics of a T-cell mediated immune response in desert rodents   |

|    |                         |
|----|-------------------------|
| I  | Contents of Volume      |
| VI | Subject Index           |
| IX | Author Index            |
| XI | Instructions to Authors |